



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 083160

# TRANSMISSION DUAL 9 FE 75W-90

Date of the previous version: 2016-03-09

Revision Date: 2016-11-24

Version 2.05

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

<b>Product name</b>	<b>TRANSMISSION DUAL 9 FE 75W-90</b>
<b>Number</b>	DHH
<b>Substance/mixture</b>	Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Transmission fluid.
------------------------	---------------------

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71
-----------------	--

#### For further information, please contact:

<b>Contact Point</b>	HSE
<b>E-mail Address</b>	rm.msds-lubs@total.com

#### 1.4. Emergency telephone number

Emergency telephone: +44 1235 239670  
 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59  
 In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10 , Tel : 01.40.05.48.48. -  
 MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard  
 Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de  
 Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel ( 15 )

### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008 \*\*\*

For the full text of the H-Statements mentioned in this Section, see Section 2.2. \*\*\*

#### Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

Version EU



SDS # : 083160

# TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

## 2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008\*\*\*

### Hazard Statements

None\*\*\*

### Precautionary Statements

None\*\*\*

### Supplemental Hazard Statements

EUH210 - Safety data sheet available on request\*\*\*

EUH208- Contains Polysulfides, di-tert-Bu, Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl **May produce an allergic reaction\*\*\***

## 2.3. Other hazards

### Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

### Environmental properties

Should not be released into the environment.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture\*\*\*

#### Chemical nature

The product is made from refined mineral base oils and synthetic oils .

#### Hazardous ingredients

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Reg. 1272/2008)
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated***	-	01-2119486452-34	68037-01-4	50-<60	Asp. Tox. 1 (H304)
Polysulfides, di-tert-Bu***	273-103-3***	01-2119540515-43	68937-96-2	2.5-<5	Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl***	931-384-6***	01-2119493620-38	^	1-<2.5	Acute Tox. 4 (H302) Aquatic Chronic 2 (H411) Eye Dam. 1 (H318) Skin Sens. 1 (H317)
O,O,O-triphenyl phosphorothioate***	209-909-9***	no data available	597-82-0	0.25-<1	Repr. 2 (H361) Aquatic Chronic 4 (H413)

#### Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

### Section 4: FIRST AID MEASURES

#### 4.1. Description of first-aid measures

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.***
<b>Skin contact</b>	Not classified. May produce an allergic reaction.
<b>Inhalation</b>	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	Treat symptomatically.
---------------------------	------------------------

### Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.***
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

<b>Special Hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

### 5.3. Advice for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.\*\*\*

### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.\*\*\*

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.\*\*\*

### 6.4. Reference to other sections

**Personal Protective Equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.\*\*\*

**Prevention of fire and explosion** Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.\*\*\*

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do

Version EU

SDS # : 083160

# TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.\*\*\*

## 7.2. Conditions for safe storage, including any incompatibilities

### Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.\*\*\*

### Materials to Avoid

Strong oxidizing agents.\*\*\*

## 7.3. Specific end uses

### Specific use(s)

No information available.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

### Exposure limits

Mineral oil mist:  
USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

### Legend

See section 16

### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Polysulfides, di-tert-Bu*** 68937-96-2			14.5 mg/m <sup>3</sup> Inhalation 3.33 mg/kg bw/day Dermal	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl*** ^			12.5 mg/kg/8h (dermal) 8.56 mg/m <sup>3</sup> /8h (inhalation) (ECHA CHEM)	

### DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Polysulfides, di-tert-Bu*** 68937-96-2			2.6 mg/m <sup>3</sup> Inhalation 1.66 mg/kg bw/day	

Version EU

SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

			Dermal	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl*** ^			6.25 mg/kg/24h (dermal) 2.2 mg/m³/24h (inhalation) 0.25 mg/kg/24h (oral) (ECHA CHEM)	

### Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Polysulfides, di-tert-Bu*** 68937-96-2	0.00024 mg/l fw 0.000024 mg/l mw 0.0024 mg/l or	0.94 mg/kg dw fw 0.094 mg/kg dw mw	1513 mg/kg dw		4.51 mg/l	6.66 mg/kg
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl*** ^	0.0012 mg/l fw 0.00012 mg/l mw 0.064 mg/l or	3.13 mg/kg fw 0.313 mg/kg mw	2.54 mg/kg soil dw		24.33 mg/l	10 mg/kg food

### 8.2. Exposure controls

#### Occupational Exposure Controls

##### Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

##### Personal Protective Equipment

###### General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

###### Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

###### Eye Protection

Tightly fitting safety goggles. Safety glasses with side-shields. Face-shield.\*\*\*

Version EU



SDS # : 083160

# TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

**Skin and body protection**

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

**Hand Protection**

Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency.

**Environmental exposure controls****General Information**

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES
---

**9.1. Information on basic physical and chemical properties**

Appearance		limpid	
Color		yellow To amber	
Physical State @20°C		liquid	
Odor		Characteristic	
Odor Threshold		No information available	
Property	Values	Remarks	Method
pH		Not applicable***	
Melting point/range		Not applicable	
Boiling point/boiling range		No information available***	
Flash point ***	>= 190*** °C*** >= 374*** °F***		ASTM D 92*** ASTM D 92***
Evaporation rate		No information available***	
Flammability Limits in Air		No information available	
upper ***		No information available***	
Lower ***		No information available***	***
Vapor Pressure		No information available***	
Vapor density		No information available***	
Relative density ***	*** 0.883	@ 15 °C ***	***
Density	883 kg/m <sup>3</sup>	@ 15 °C	
Water solubility		Insoluble	
Solubility in other solvents		No information available***	
logPow		No information available***	
Autoignition temperature		No information available***	
Decomposition temperature		No information available	
Viscosity, kinematic ***	*** 100*** mm2/s	@ 40 °C ***	ASTM D 445 ***
***	*** 15.1 mm2/s	@ 100 °C ***	ASTM D 445 ***
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

**Possibility of hazardous reactions** No information available

### 9.2. Other information

**Freezing Point** No information available

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

**General Information** No information available.\*\*\*

### 10.2. Chemical stability

**Stability** Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Reactions** None under normal processing.

### 10.4. Conditions to Avoid

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.\*\*\*

### 10.5. Incompatible materials

**Materials to Avoid** Strong oxidizing agents.\*\*\*

### 10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.\*\*\*

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

<b>Skin contact</b>	. Not classified. May produce an allergic reaction.
<b>Eye contact</b>	. Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.***
<b>Inhalation</b>	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

Version EU





SDS # : 083160

# TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

diarrhea.  
 ATEmix (inhalation-dust/mist) 10.00\*\*\* mg/l\*\*\*  
 ATEmix (inhalation-vapor) 514.60\*\*\* mg/l\*\*\*

## Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated***	LD50 > 5000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 (4h) > 5.2 mg/l (Rat)
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl***	LD50 2000 mg/kg bw (Rat - OECD TG 401)		-

## Sensitization

### Sensitization

Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no sensitisation classification is required.

## Specific effects

### Carcinogenicity

This product is not classified carcinogenic.

### Mutagenicity

This product is not classified as mutagenic.

### Reproductive toxicity

This product does not present any known or suspected reproductive hazards. Contains a known or suspected reproductive toxin.

Chemical Name	European Union
O,O,O-triphenyl phosphorothioate*** 597-82-0	Repr. 2 (H361)

## Repeated Dose Toxicity

### Subchronic toxicity

No information available.

## Target Organ Effects (STOT)

## Other information

### Other adverse effects

Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Not classified. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no aquatic environmental hazard classification is required.\*\*\*

## Acute aquatic toxicity - Product Information

No information available.

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated*** 68037-01-4	EL50 (72h) > 1000 mg/l (Scenedesmus capricornutum - OECD 201)	EC50 (48h) 190 mg/l (Daphnia magna) LE50(48h) > 1000 mg/l (Daphnia magna)	LC50(96h) > 750 mg/l (Pimephales promelas) LL50(96h) > 1000 mg/l (Pimephales promelas)	
Polysulfides, di-tert-Bu*** 68937-96-2	EC50 (72h) > 100 mg/l (Alga)	EC50 (48h) 63 mg/l (Daphnia magna)		
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl*** ^	EL50 (96h) > 15 mg (Selenastrum capricornutum - OECD 201) EC50 (96h) 6.4 mg/l (Pseudokirchnerella subcapitata - OECD 201) EC50 (96h) 15 mg/l (Pseudokirchnerella subcapitata - OECD 201) EC50 (96h) 6.4 mg/L (Selenastrum capricornutum- OECD TG 201) (ECHA CHEM)	EL50 (48h) ca. 91.4 mg/l (Daphnia magna - OECD 202)	LL50 (96h) ca. 24 mg/l (Oncorhynchus mykiss - OECD 203)	

### Chronic aquatic toxicity - Product Information

No information available.

### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated*** 68037-01-4	NOELR (72h) 1000 mg/l (Scenedesmus capricornutum - OECD 201)	NOELR (21d) 125 mg/l (Daphnia magna - OECD 211)		
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl*** ^	NOEC (96h) 1.7 mg/l (Pseudokirchnerella subcapitata - OECD 201) par NOEC (96h) 3.3 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (21d) 0.91 mg/l (Daphnia magna - OECD 211) NOEL (21d) 0.12 mg/l (Daphnia magna - OECD 211) EL50 (21d) 0.66 mg/l (Daphnia magna - OECD 211)	-	EC50 (3h) ca. 2433 mg/L (Activated Sludge, domestic - OECD TG 209) (ECHA CHEM)

### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

#### General Information

No information available.

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

### 12.3. Bioaccumulative potential

**Product Information** No information available.

**logPow** No information available\*\*\*  
**Component Information** \*\*\*

Chemical Name	log Pow
Polysulfides, di-tert-Bu*** - 68937-96-2	6
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl*** - ^	< 0.30 to >7.10 (OECD TG 117) (ECHA CHEM)

### 12.4. Mobility in soil

**Soil** Given its physical and chemical characteristics, the product generally shows low soil mobility.

**Air** Loss by evaporation is limited.

**Water** Insoluble. The product spreads on the surface of the water.

### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

### 12.6. Other adverse effects

**General Information** No information available.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues / Unused Products** Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.\*\*\*

**EWC Waste Disposal No.** The following Waste Codes are only suggestions: 13 02 06.

**Other information** According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

### Section 14: TRANSPORT INFORMATION

<u>ADR/RID</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>ICAO/IATA</u>	Not regulated
<u>ADN</u>	Not regulated

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available

#### 15.2. Chemical Safety Assessment

**Chemical Safety Assessment**      No information available

### Section 16: OTHER INFORMATION

#### **Full text of H-Statements referred to under sections 2 and 3**

H302 - Harmful if swallowed  
 H304 - May be fatal if swallowed and enters airways  
 H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H361 - Suspected of damaging fertility or the unborn child if inhaled  
 H411 - Toxic to aquatic life with long lasting effects  
 H412 - Harmful to aquatic life with long lasting effects  
 H413 - May cause long lasting harmful effects to aquatic life\*\*\*

#### **Abbreviations, acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists  
 bw = body weight  
 bw/day = body weight/day  
 EC x = Effect Concentration associated with x% response  
 GLP = Good Laboratory Practice

Version EU



SDS # : 083160

## TRANSMISSION DUAL 9 FE 75W-90

Revision Date: 2016-11-24

Version 2.05

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water

mw = marine water

or = occasional release

### Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

PEL: Permissible exposure limit

REL: Recommended exposure limit

TLV: Threshold Limit Values

+ Sensitizer

\*\* Hazard Designation

M: Mutagen

\*

C:

R:

Skin designation

Carcinogen

Toxic to reproduction

Revision Date: 2016-11-24

Revision Note \*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet

Version EU